



CREW ENDURANCE 140N

5MM IMMERSION SUIT



Crewsaver immersion suits are fully approved to the current SOLAS MED regulations. They are made from 5mm fire retardant neoprene to provide good insulation and resistance to oil, sunlight and seawater. Quick and easy to put on, each is supplied in its own carry bag with donning instructions included. All seams are glued and blind-stitched to ensure they are totally waterproof. Critical areas are taped for additional reinforcement and the foot sole is reinforced.

Providing over 140N of buoyancy enables the suit to be worn without a lifejacket, an attached buoyancy pillow supports the wearer when floating face up.

FEATURES

- BUOYANCY PILLOW
- UNPACKED AND DONNED IN UNDER 2 MINUTES
- 40MM NYLON LIFTING STROP HARNESS WITH STAINLESS STEEL D-RING
- WATERPROOF ZIP AND MED/SOLAS APPROVED
- REFLECTIVE TAPE
- WITHSTANDS THE IMPACT OF A JUMP INTO WATER FROM 4.5 M
- FIRE RETARDANT NEOPRENE CONSTRUCTION
- PREVENTS A TYPICAL WEARER'S CORE BODY TEMPERATURE FROM DROPPING BY MORE THAN 2 °C AFTER SIX HOURS IN CALM WATER OF 0-2 °C



Providing over 140N of buoyancy enables this
suit to be worn without a lifejacket.

CREW ENDURANCE 140N

5MM IMMERSION SUIT ↓

Survitec Immersion suits are approved by many of the world's leading maritime authorities and offer you exceptional properties for surviving cold water immersion even in Arctic conditions. They are fast to don with a large zip handle for easy closure and include pre-attached hood and gloves so you are prepared when you enter the water.



Ordering Information

PRODUCTS	
Product Number	Product Name
8808-M	Crew Endurance 140N Immersion Suit And Approved Light – Medium
8808-L	Crew Endurance 140N Immersion Suit And Approved Light – Large
8808-XL	Crew Endurance 140N Immersion Suit And Approved Light – Extra Large

TECHNICAL DATA	
Buoyancy	140 Newtons
Height Range	
Medium	150 - 170 cm
Large	170 - 190 cm
Extra Large	190 - 210 cm
Harness	
Type	Lifting Strop

APPROVALS
SOLAS / MED



survitec

GET IN TOUCH

Phone +44 (0)1329 820 000

Email crewsaver.sales@survitecgroup.com

www.survitecgroup.com

Survitec House, Lederle Lane, Gosport, Hampshire,
PO13 0FZ, United Kingdom



CREW ENDURANCE

5MM IMMERSION SUIT



Crewsaver immersion suits are fully approved to the current SOLAS MED regulations. They are made from 5mm fire retardant neoprene to provide good insulation and resistance to oil, sunlight and seawater. Quick and easy to put on, each is supplied in its own carry bag with donning instructions included. All seams are glued and blind-stitched to ensure they are totally waterproof. Critical areas are taped for additional reinforcement and the foot sole is reinforced.

FEATURES

- GUNPACKED AND DONNED IN UNDER 2 MINUTES
- WATERPROOF ZIP AND MED/SOLAS APPROVED REFLECTIVE TAPE
- 5MM NEOPRENE FACE FLAP AND INSIDE CHIN FLAP FOR DUAL PROTECTION
- OUTER MATERIAL NEOPRENE WITHSTANDS THE IMPACT OF A JUMP INTO WATER FROM 4.5 M
- FIRE RETARDANT NEOPRENE CONSTRUCTION
- PREVENTS A TYPICAL WEARER'S CORE BODY TEMPERATURE FROM DROPPING BY MORE THAN 2 °C AFTER SIX HOURS IN CALM WATER OF 0-2 °C



Survitec Immersion suits are approved by many of the world's leading maritime authorities

CREW ENDURANCE

5MM IMMERSION SUIT ↓

Survitec Immersion suits are approved by many of the world's leading maritime authorities and offer you exceptional properties for surviving cold water immersion even in Arctic conditions. They are fast to don with a large zip handle for easy closure and include pre-attached hood and gloves so you are prepared when you enter the water.



Ordering Information

PRODUCTS	
Product Number	Product Name
8810-M	Crew Endurance Immersion Suit - Medium
8810-L	Crew Endurance Immersion Suit - Large
8810-XL	Crew Endurance Immersion Suit - Extra Large

Accessories

PRODUCTS	
Product Number	Product Name
1143-AUTO	*Seacrewsader 275N Twin Chamber Automatic with Hood

* A number of SOLAS lifejacket options are also available

TECHNICAL DATA	
Height Range	
Medium	150 - 170 cm
Large	170 - 190 cm
Extra Large	190 - 210 cm

APPROVALS

SOLAS / MED



survitec

GET IN TOUCH

Phone +44 (0)1329 820 000

Email crewsaver.sales@survitecgroup.com

www.survitecgroup.com

Survitec House, Lederle Lane, Gosport, Hampshire,
PO13 0FZ, United Kingdom



CREW ENDURANCE PLUS

5MM IMMERSION SUIT



Crewsaver immersion suits are fully approved to the current SOLAS MED regulations. They are made from 5mm fire retardant neoprene to provide good insulation and resistance to oil, sunlight and seawater. Quick and easy to put on, each is supplied in its own carry bag with donning instructions included. All seams are glued and blind-stitched to ensure they are totally waterproof. Critical areas are taped for additional reinforcement and the foot sole is reinforced.

FEATURES

- 40MM NYLON LIFTING STROP HARNESS WITH STAINLESS STEEL D-RING
- 5 FINGER INTEGRAL LATEX GLOVE FOR INCREASED DEXTERITY
- ADDITIONAL OVER GLOVE FOR INCREASED INSULATION, CAN BE STOWED IN ITS OWN SLEEVE POCKET
- UNPACKED AND DONNED IN UNDER 2 MINUTES
- FIRE RETARDANT NEOPRENE CONSTRUCTION
- WATERPROOF ZIP AND MED/SOLAS APPROVED
- REFLECTIVE TAPE
- WITHSTANDS THE IMPACT OF A JUMP INTO WATER FROM 4.5M
- PREVENTS A TYPICAL WEARER'S CORE BODY TEMPERATURE FROM DROPPING BY MORE THAN 2°C AFTER SIX HOURS IN CALM WATER OF 0-2°C



Survitec Immersion suits are approved by many of the world's leading maritime authorities

CREW ENDURANCE PLUS

5MM IMMERSION SUIT ↓

The face has a neoprene seal and, combined with a mouth and nose mask, it ensures a comfortable and secure body seal. Five fingered integral latex gloves provide great dexterity and for extra insulation an overglove is stowed in its own sleeve pocket. The suit also features a one-piece durable metal zip, for dependability. Ankle adjusters add to the secure and comfortable fit. We have also added further safety aids including SOLAS grade retro-reflective tape on head, chest, arms and back, plus a buddy line.

Survitec Immersion suits are approved by many of the world's leading maritime authorities and offer you exceptional properties for surviving cold water immersion even in Arctic conditions. They are fast to don with a large zip handle for easy closure and include pre-attached hood and gloves so you are prepared when you enter the water.



Ordering Information

PRODUCTS	
Product Number	Product Name
8800MK2-SHM	Crew Endurance Plus – Medium
8800MK2-SHU	Crew Endurance Plus – Universal
8800MK2-SHXL	Crew Endurance Plus – Extra Large

TECHNICAL DATA	
Height Range	
Medium	150 - 170 cm
Universal	170 - 190 cm
Extra Large	190 - 210 cm
Harness	
Type	Lifting Strop

APPROVALS
SOLAS / MED



 **survitec**

GET IN TOUCH

Phone +44 (0)1329 820 000

Email crewsaver.sales@survitecgroup.com


www.survitecgroup.com

Survitec House, Lederle Lane, Gosport, Hampshire,
PO13 0FZ, United Kingdom



CREW LATITUDE 140N

FABRIC IMMERSION SUIT



Survitec immersion suits are fully approved to the current SOLAS MED regulations. They are made from fire retardant fabrics to provide good insulation and resistance to oil, sunlight and seawater. Quick and easy to put on, each is supplied in its own carry bag with donning instructions included. All seams are stitched and taped to ensure they are totally waterproof. Critical areas are taped for additional reinforcement and the foot sole is reinforced. The suit also provides thermal protection.

Providing over 140N of buoyancy enables the suit to be worn without a lifejacket, an attached buoyancy pillow supports the wearer when floating face up.

FEATURES

- UNPACKED AND DONNED IN UNDER 2 MINUTES
- 40MM NYLON LIFTING STROP HARNESS WITH STAINLESS STEEL D-RING
- SUPPLIED WITH WHISTLE, BUDDY LINE AND LIFTING STROP
- WATERPROOF ZIP AND MED/SOLAS APPROVED REFLECTIVE TAPE
- WITHSTANDS THE IMPACT OF A JUMP INTO WATER FROM 4.5M.
- OUTER MATERIAL TERYLENE TEXTILE + TPU
- PREVENTS A TYPICAL WEARER'S CORE BODY TEMPERATURE FROM DROPPING BY MORE THAN 2°C AFTER SIX HOURS IN CALM WATER OF 0-2°C



Providing over 140N of buoyancy enables this suit to be worn without a lifejacket.

CREW LATITUDE 140N

FABRIC IMMERSION SUIT

Survitec Immersion suits are approved by many of the world's leading maritime authorities and offer you exceptional properties for surviving cold water immersion even in Arctic conditions. They are fast to don with a large zip handle for easy closure and include pre-attached hood and gloves so you are prepared when you enter the water.



Ordering Information

PRODUCTS	
Product Number	Product Name
8806-M	Crew Latitude 140N Immersion Suit And Approved Light – Medium
8806-L	Crew Latitude 140N Immersion Suit And Approved Light – Large
8806-XL	Crew Latitude 140N Immersion Suit And Approved Light – Extra Large
8807-M	Crew Latitude 140N Immersion Suit – Medium
8807-L	Crew Latitude 140N Immersion Suit – Large
8807-XL	Crew Latitude 140N Immersion Suit – Extra Large

TECHNICAL DATA

Buoyancy	140 Newtons
Height Range	
Medium	150 - 170 cm
Large	170 - 190 cm
Extra Large	190 - 210 cm
Harness	
Type	Lifting Strop

APPROVALS

SOLAS / MED



GET IN TOUCH

Phone +44 (0)1329 820 000

Email crewsaver.sales@survitecgroup.com

www.survitecgroup.com

Survitec House, Lederle Lane, Gosport, Hampshire,
PO13 0FZ, United Kingdom



CHILD IMMERSION SUIT

5MM IMMERSION SUIT



Crewsaver immersion suits are fully approved to the current SOLAS MED regulations. They are made from 5mm fire retardant neoprene to provide good insulation and resistance to oil, sunlight and seawater. Quick and easy to put on, each is supplied in its own carry bag with donning instructions included. All seams are glued and blind-stitched to ensure they are totally waterproof. Critical areas are taped for additional reinforcement and the foot sole is reinforced. The suit also provides thermal protection. The neoprene immersion suit should be used with an approved lifejacket.

FEATURES

- UNPACKED AND DONNED IN UNDER 2 MINUTES
- 5MM 3 FINGER NEOPRENE GLOVES, HOOD AND BOOTS
- 50MM NYLON LIFTING STROP HARNESS WITH STAINLESS STEEL D-RING
- WATERPROOF ZIP AND MED/SOLAS APPROVED REFLECTIVE TAPE
- 5MM NEOPRENE FACE FLAP AND INSIDE CHIN FLAP FOR DUAL PROTECTION
- OUTER MATERIAL NEOPRENE WITHSTANDS THE IMPACT OF A JUMP INTO WATER FROM 4.5 M
- FIRE RETARDANT NEOPRENE CONSTRUCTION
- PREVENTS A TYPICAL WEARER'S CORE BODY TEMPERATURE FROM DROPPING BY MORE THAN 2 °C AFTER SIX HOURS IN CALM WATER OF 0-2 °C



Survitec Immersion suits are approved by many of the world's leading maritime authorities

CHILD IMMERSION SUIT

5MM IMMERSION SUIT ↓

The face has a neoprene seal and, combined with a mouth and nose mask, it ensures a comfortable and secure body seal. The suit also features a one-piece durable metal zip, for dependability. Ankle adjusters add to the secure and comfortable fit. We have also added further safety aids including SOLAS grade retro-reflective tape on head, chest, arms and back; whistle and a buddy line stowed in sleeve pocket. An optional 50mm nylon lifting strop harness with a stainless steel D-ring can also be fitted.

OPTIONAL EXTRAS

- MED/SOLAS approved lifejacket light
- Lifting strop harness and/or Scot buoyancy unit
- Approved compatible lifejacket

Ordering Information

PRODUCTS	
Product Number	Product Name
8800-SC	Child Immersion Suit with Socks
8800-SHC	Child Immersion Suit with Harness and Socks

TECHNICAL DATA	
Size	Child
Chest	59 - 90 cm
Height	110 - 150 cm
Weight	20 - 50 kg

APPROVALS

SOLAS / MED



GET IN TOUCH

Phone +44 (0)1329 820 000

Email crewsaver.sales@survitecgroup.com

www.survitecgroup.com

Survitec House, Lederle Lane, Gosport, Hampshire,
PO13 0FZ, United Kingdom